

Projekt: pora dzienna

Dane do obliczeń :

•ród³a punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	815.0	429.0	0.5	53.7	SO
2	797.3	433.3	0.5	53.7	SO
3	779.7	437.7	0.5	53.7	SO
4	762.0	442.0	0.5	53.7	SO
5	744.3	446.3	0.5	53.7	SO
6	726.7	450.7	0.5	53.7	SO
7	709.0	455.0	0.5	53.7	SO
8	691.3	459.3	0.5	53.7	SO
9	673.7	463.7	0.5	53.7	SO
10	656.0	468.0	0.5	53.7	SO
11	808.0	431.0	1.0	73.8	SC
12	790.0	435.4	1.0	73.8	SC
13	772.0	439.9	1.0	73.8	SC
14	754.0	444.3	1.0	73.8	SC
15	736.0	448.8	1.0	73.8	SC
16	718.0	453.2	1.0	73.8	SC
17	700.0	457.7	1.0	73.8	SC
18	682.0	462.1	1.0	73.8	SC
19	664.0	466.6	1.0	73.8	SC
20	646.0	471.0	1.0	73.8	SC
21	652.3	460.5	1.0	90.0	L
22	661.9	458.6	1.0	90.0	L
23	675.0	456.0	1.0	90.0	L
24	688.5	453.1	1.0	90.0	L
25	669.6	450.6	1.0	90.0	L
26	756.6	434.2	1.0	90.0	L
27	755.4	423.4	1.0	90.0	L
28	754.1	410.9	1.0	90.0	L
29	750.9	399.7	1.0	90.0	L
30	743.8	388.2	1.0	90.0	L
31	528.2	421.4	1.0	90.0	W
32	690.1	393.0	1.0	90.0	W
33	702.6	389.8	1.0	90.0	W
=====					

•ród³a typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	699.0	454.1	685.0	396.2	733.9	384.0	747.4	441.9	0.0	12.0
2	489.8	441.9	522.1	418.9	551.2	458.6	518.9	482.6	0.0	8.0
3	461.6	370.2	515.0	360.6	522.1	406.1	468.6	414.4	0.0	8.0
=====										

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr	Źród³a	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
1	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr Źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
2	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr Źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
----	--------	------	------	------

1		562.8	166.2	4.0
---	--	-------	-------	-----

Projekt: pora nocna

Dane do obliczeń :

•ród³a punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	815.0	429.0	0.5	60.9	SO
2	797.3	433.3	0.5	60.9	SO
3	779.7	437.7	0.5	60.9	SO
4	762.0	442.0	0.5	60.9	SO
5	744.3	446.3	0.5	60.9	SO
6	726.7	450.7	0.5	60.9	SO
7	709.0	455.0	0.5	60.9	SO
8	691.3	459.3	0.5	60.9	SO
9	673.7	463.7	0.5	60.9	SO
10	656.0	468.0	0.5	60.9	SO
11	808.0	431.0	1.0	0.0	SC
12	790.0	435.4	1.0	0.0	SC
13	772.0	439.9	1.0	0.0	SC
14	754.0	444.3	1.0	0.0	SC
15	736.0	448.8	1.0	0.0	SC
16	718.0	453.2	1.0	0.0	SC
17	700.0	457.7	1.0	0.0	SC
18	682.0	462.1	1.0	0.0	SC
19	664.0	466.6	1.0	0.0	SC
20	646.0	471.0	1.0	0.0	SC
21	652.3	460.5	1.0	0.0	L
22	661.9	458.6	1.0	0.0	L
23	675.0	456.0	1.0	0.0	L
24	688.5	453.1	1.0	0.0	L
25	669.6	450.6	1.0	0.0	L
26	756.6	434.2	1.0	0.0	L
27	755.4	423.4	1.0	0.0	L
28	754.1	410.9	1.0	0.0	L
29	750.9	399.7	1.0	0.0	L
30	743.8	388.2	1.0	0.0	L
31	528.2	421.4	0.5	90.0	W
32	690.1	393.0	0.5	90.0	W
33	702.6	389.8	0.5	90.0	W
=====					

•ród³a typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	699.0	454.1	685.0	396.2	733.9	384.0	747.4	441.9	0.0	12.0
2	489.8	441.9	522.1	418.9	551.2	458.6	518.9	482.6	0.0	8.0
3	461.6	370.2	515.0	360.6	522.1	406.1	468.6	414.4	0.0	8.0
=====										

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr	Źród³a	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
1	sc.1 L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
2	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	


=====											
Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
3	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]

1		562.8	166.2	4.0

Mapa emisji hałasu - pora dzienna



Mapa emisji hałasu - pora nocna

